



ApS

CONCEPT LIGHTING
SDN BHD

OUTDOOR DECORATIVE LIGHTING

Simple & Bright Lighting



CONCEPT LIGHTING
SDN BHD




Decorative Lighting

APS Twinkle Light

Code	Color	Protection	Voltage	LED	Length	
OLE LD06-TW-100	White	IP40	240V	100	5M	
OLE LD06-TW-060	Blue (stable)	IP44	240V	60	6M	Transparent wires & white rectifier PC
OLE LD06-TW-060	White (stable)	IP44	240V	60	6M	Transparent wires & white rectifier PC
OLE LD06-TW-100	Blue	IP44	240V	100	5M	Black wire w/o cont.
OLE LD06-TW-100	Red	IP44	240V	100	5M	Black wire w/o cont.
OLE LD06-TW-100	White	IP44	240V	100	5M	Black wire w/o cont.
OLE LD06-TW-100	Yellow	IP44	240V	100	5M	Black wire w/o cont.
OLE LD06-TW-100	Red	IP44	240V	100	5M	50cm Long power w/o cont. (w.wire)
OLE LD06-TW-120	Blue	IP44	240V	120	6M	
OLE LD06-TW-120	Green	IP44	240V	120	6M	
OLE LD06-TW-100	White	IP65	240V	100	5M	T. cable 0.2mm 4 stable+1 flashing
OLE LD06-TW-120	Yellow	IP65	240V	120	6M	Black cable with controller (waterflow)
OLE LD06-TW-B100	Purple	IP65	260V	100	5M	Black wire connectable max 5 set
OLE LD06-TW-B100	Warm white	IP65	260V	100	5M	Black wire connectable max 5 set
OLE LD06-TW-BSR-RC	Blue	IP65	240V	100	5M	Black rubber wire, non connectable, 1M power con.
OLE LD06-TW-BSR-RC	White	IP65	240V	100	5M	Black rubber wire, non connectable, 1M power con.
OLE LD06-TW-BSR-RC	Warm White	IP65	240V	100	5M	Black rubber wire, non connectable, 1M power con.
OLE LD06-TW-BSR-RC	White	IP65	260V	120	6M	Black rubber wire (0.3MM copper), non connectable
OLE LD06-TW-BSR-RC	Warm White	IP65	260V	120	6M	Black rubber wire (0.3MM copper), non connectable
OLE LD06-TW-BSR-RC	Blue	IP65	260V	120	3M	Black rubber wire (0.3MM copper), non connectable
OLE LD06-TW-BSR-RC	White	IP65	260V	120	3M	Black rubber wire (0.3MM copper), non connectable
OLE LD06-TW-BSR-RC	Warm White	IP65	260V	120	3M	Black rubber wire (0.3MM copper), non connectable
OLE LD06-TW-120	Yellow	IP66	240V	120	6M	Black cable
OLE LD06-TW-120	Blue	IP66	240V	120	6M	Black cable

Dimension





CONCEPT LIGHTING
SDN BHD




Decorative Lighting

APS Icicle Light


Code	Color	Protection	Voltage	LED	Length	
OLE LD08 Icicle 03	Blue	IP20	240V	225		30 String
OLE LD08 Icicle 03	Blue	IP44	230V	225		30 String
OLE LD08 Icicle 03	Green	IP44	230V	225		30 String
OLE LD08 Icicle 03	Red	IP20	230V	225		30 String
OLE LD08 Icicle 03	White	IP44	230V	225		30 String
OLE LD08 Icicle 04	White	IP44	240V	630	5M	90 String, with controller, waterfall effect, black PVC cable, 1.5M power cord with plug
OLE LD08 Icicle B260	Purple	IP65	260V	225	3.3M	without controller, Steady effect, black PVC cable, with cap, 1M power cord without plug, connectable max 5 sets
OLE LD08 Icicle B260	Warm White	IP65	240V	225	3.3M	Transparent PVC cable, Bare copper to waterproof rectifier
OLE LD08 Icicle BRC6	Blue		260V	630	1.75M	Black rubber cable
OLE LD08 Icicle BRC6	White		260V	630	1.75M	Black rubber cable
OLE LD08 Icicle BRC6	Warm White		260V	630	1.75M	Black rubber cable

Dimension





CONCEPT LIGHTING
SDN BHD




Decorative Lighting

APS Curtain Light

Code	Color	Protection	LED	Length	
OLE LD04 PL BKE	Blue	IP65	420	5M*1M	43.2W, 0.3MM Black cable
OLE LD04 PL BKE	White	IP65	420	5M*1M	43.2W, 0.3MM Black cable
OLE LD04 PL BKE	Warm White	IP65	420	5M*1M	43.2W, 0.3MM Black cable
OLE LD04 PL BKE	Blue	IP65	900	4.5M*0.6M	72W, 2.5MM Black cable
OLE LD04 PL BKE	White	IP65	900	4.5M*0.6M	72W, 2.5MM Black cable
OLE LD04 PL BKE	Warm White	IP65	900	4.5M*0.6M	72W, 2.5MM Black cable
OLE LD04 PLS 1925	Yellow		475		Transparent cable
OLE LD04 PLS 3725	Blue		925	2.5M	Transparent cable
OLE LD04 PLS 3725	Green		925	2.5M	Transparent cable
OLE LD04 PLS 3725	White		925	2.5M	Transparent cable
OLE LD04 PLS 3725	Yellow		925	2.5M	Transparent cable

Dimension



APS String Light

Code	Color	Protection	Voltage	LED
OLE BN SFL	White	IP44	24V	128
OLE BN SFL	Yellow	IP44	24V	128



Dimension





CONCEPT LIGHTING
SDN BHD




Decorative Lighting

APS String Light

Code	Color	Protection	Voltage	LED	
OLE NPL BKE	Warm White	IP65	AC230V	900	72W, Stable Lighting, Exradius 2.5MM black PVC wires, convex round cap+glue, Connectable 3-5 sets with main cable
OLE NPL BKE	Blue	IP65	AC230V	900	
OLE NPL BKE	White	IP65	AC230V	900	


Dimension



APS String Light

Code	Color	Protection	Voltage	
OLE NPL BKE	Warm White	IP65	AC230V	43.2W, Stable Lighting, Black PVC wires with main cable, 1.5M power line and connector, Connectable 10 sets
OLE NPL BKE	Blue	IP65	AC230V	
OLE NPL BKE	White	IP65	AC230V	

Dimension





CONCEPT LIGHTING
SDN BHD





Decorative Lighting

APS String Light

Code	Color	Protection	Voltage	LED	Length	
OLE String Light	Warm White	IP44	240V	800	4M	Black iron frame, black PVC cable

Dimension




APS Sparkle Light (Triangle)

Code	Color	Protection	Voltage	LED	Length	
OLE LD05 TSNL S WP	Blue	IP65	240V	66	1Mx1Mx1M	Steady, Black cable
OLE LD05 TSNL S WP	Red	IP65	240V	66	1Mx2.18Mx0.61M	Steady, Black cable



CONCEPT LIGHTING
SDN BHD



Decorative Lighting

APS Sparkle Light (Square)

Code	Color	Protection	Voltage	Length	
OLE LD05 SNL NNL	Yellow			1.5Mx2.13Mx0.61M	White wire with commute bridge
OLE LD05 SNL S	Blue	IP65	240V	1Mx2.18Mx0.61M	Steady, Black PVC cable
OLE LD05 SNL S	White	IP65	240V	1Mx2.18Mx0.61M	Steady, Black PVC cable
OLE LD05 SNL S	Warm White	IP65	240V	1Mx2.18Mx0.61M	Steady, Black PVC cable
OLE LD05 SNL S	Red	IP65	240V	2.18Mx0.61M	Steady, Black PVC cable
OLE LD05 SNL S	Yellow		240V	1.5Mx2.183Mx0.61M	White wire with commute bridge



APS Sparkle Light (Semicircle)

Code	Color	Protection	Voltage	LED	Length	
OLE LD05 SNL BG	Blue	IP44	240V	216	2Mx1M	Black cable
OLE LD05 SNL BG	White	IP44	240V	216	2Mx1M	Black cable
OLE LD05 SNL BG	Blue	IP65	240V	216	2Mx1M	Steady, Transparent PVC cable
OLE LD05 SNL BG	White	IP65	240V	216	2Mx1M	Steady, Transparent PVC cable



CONCEPT LIGHTING
SDN BHD



Decorative Lighting

APS BS 50 10M

Code	Color	Protection	Voltage	LED	Length	
OLE BS	Blue	IP65	220V	50pcs LEDs with small ball (17MM)	10M	Black PVC cable without controller, 1M power cord with plug
OLE BS	Green	IP65	220V	50pcs LEDs with small ball (17MM)	10M	Black PVC cable without controller, 1M power cord with plug
OLE BS	Red	IP65	220V	50pcs LEDs with small ball (17MM)	10M	Black PVC cable without controller, 1M power cord with plug
OLE BS	Yellow	IP65	220V	50pcs LEDs with small ball (17MM)	10M	Black PVC cable without controller, 1M power cord with plug
OLE BS	White	IP65	220V	50pcs LEDs with small ball (17MM)	10M	Black PVC cable without controller, 1M power cord with plug
OLE BS	RGB	IP65	220V	50pcs LEDs with small ball (17MM)	10M	Black PVC cable without controller, 1M power cord with plug

APS BSR 50 10M

Code	Color	Protection	Voltage	LED	Length	
OLE BSR	Warm White	IP65	220V	50pcs LEDs with small ball (23MM)	10M	Black PVC cable without controller, 1M power cord with plug
OLE BSR	RGB	IP65	220V	50pcs LEDs with small ball (23MM)	10M	Black PVC cable without controller, 1M power cord with plug



CONCEPT LIGHTING
SDN BHD

Decorative Lighting

APS LED TREE



ASP-FYS-B001
1.2M (H)x0.6M(W)



ASP-FYS-B002
1.5M (H)x1.2M(W)



ASP-FYS-B003
2M (H)x1.4M(W)



ASP-FYS-B004
2.5M (H)x1.6M(W)



ASP-FYS-B005
3M (H)x1.8M(W)



ASP-FYS-B006
3.5M (H)x1.8M(W)



ASP-FYS-B007
5M (H)x2M(W)



ASP-FYS-B008
6M (H)x2M(W)



ASP-FYS-B009
7M (H)x2.2M(W)




ASP-FYS-B010
2M (H)x1.3M(W)



ASP-FYS-B011
3M (H)x2.3M(W)



ASP-FYS-B012
4.5M (H)x1.4M(W)



ASP-DJS-A001
1.8M (H)x1.1M(W)



ASP-DJS-A002
3M (H)x2.3M(W)



ASP-DJS-A004
3M (H)x1.4M(W)



ASP-DJS-A005
3M (H)x2.3M(W)



ASP-DJS-A006
5M (H)x3.5M(W)



ASP-DJS-A007
3M (H)x2.3M(W)



ASP-YS-A001
3M (H)x2M(W)



ASP-DJS-A002
4.5M (H)x3M(W)



ASP-DJS-A006
3M (H)x1.8M(W)



ASP-YS-A004
2M (H)x1.4M(W)



ASP-ZLS-A001
3M (H)x2M(W)



ASP-ZLS-A002
4M (H)x2M(W)



CONCEPT LIGHTING
SDN BHD

Decorative Lighting

APS DECO FESTIVAL



ASP-DF01




ASP-DF02



ASP-DF03



ASP-DF04



ASP-DF05



ASP-DF06



ASP-DF07




ASP-DF08



ASP-DF09



ASP-DF10



ASP-DF11




ASP-DF12



ASP-DF09



ASP-DF10



ASP-DF11



ASP-DF12